XTOOL

USER MANUAL OF
KS-1 TOYOTA SMART KEY
SIMULATOR

SHENZHEN XTOOLTECH CO., LTD

STEP BY STEP
PROCESS

1.Select: Immobilization-〉TOYOTA-〉All smart key lost

2. Select "Read immobilizer data" to read vehicle immobilizer data

3. According to the prompt, please press car's START button to read the data.

It will show the completion ratio of the read data as below:

4. After reading the data, please save the data and name the saved file

Save file

please input the file name you to save it:

Create new folder

OK

After saving, the saved information will be shown as below:

Save file

please input the file name you to save it: 0401

Read immobilizer data

EEPROM data backup is successful, the file is saved on the memory card£°/data/data/com.xtooltech.X100PAD2/files /XTOOL/Adapter\0401.bin

OK

5. When generating KS-1 Toyota simulator key, please connect KC100 or KC501 first (Please noticed the device must be connected to the network). Click "Generate emulated key" button.


6. And then click OK button to select the file saved in the previous step.

0401.bin

OK

7. After the document selection is completed, the screen will display the current key type, please click Yes or No button to confirm whether it is correct.

0401.bin

Generate emulated key

Current key type : 88

Yes	No

OK

8. After confirmation, the system will upload data to Xtool server for data verification and calculation.

9. After verification, it will activate KC100 or KC501.

10. Please put the KS-1 simulator card into the KC100's or KC501's slot and follow the instructions to complete the next operation.

11. Please click Yes to the next step. (This operation will make device bound with KS-1 Toyota simulator card)


12. Binding succeed.

13. After the binding is successful, the simulator key is generating.


14. Generated successfully.

15. After generating the simulation key successfully, select "Add key" to do add keys.

16. Please follow prompts for relevant operations.

Read immobilizer data   Generate emulated key   Add key

Erase key   Force upgrade of emulated key   Help

Attach the smart key to be programmed to the start button

Read immobilizer data   Generate emulated key   Add key

Erase key   Force upgrade of emulated key   Help

Configuring the system...

17. The device will prompt Programming success.

XTOOL

USER MANUAL OF
KS-1 TOYOTA SMART KEY
SIMULATOR

STEP BY STEP
PROCESS
▼

www.obdii365.com